Adams, F. *See* Michiels, F.
Allgood, C., Orlando, R., Munson, B. Correlations of Relative Sensitivities in Gas Chromatography Electron Ionization Mass Spectrometry with Molecular Parameters, 397
Allison, J. *See* Yefchak, G.E.
Amy, J.W., Baitinger, W.E., Cooks, R.G. Building Mass Spectrometers and a Philosophy of Research, 119
Anderson, S. *See* Shukla, A.K.
Asano, K.G. *See* Glish, G.L.
Ast, T. *See* Cooks, R.G.

Baitinger, W.E. *See* Amy, J.W.
Baldwin, M.A., Falick, A.M., Gibson, B.W., Prusiner, S.B., Stahl, N., Burlingame, A.L. Tandem Mass Spectrometry of Peptides with N-Terminal Glutamine Studies on a Prion Protein Peptide, 258
Ballard, K.D. *See* Thorne, G.C.
Barinaga, C.J. *See* Smith, R.D.
Bartmess, J.E. *See* Thomas, D.A.
Beavis, R.C. *See* Chowdhury, S.K.
Behymer, T.D. *See* Bellar, T.A.
Bellar, T.A., Behymer, T.D., Budde, W.L. Investigation of Enhanced Ion Abundances from a Carrier Process in High-Performance Liquid Chromatography Particle Beam Mass Spectrometry, 92
Bettazzoli, L., *See* Zirrolli, J.A.
Biemann, K. *See* Martin, S.A.
Bloor, J.E. *See* Thomas, D.A.
Bowers, M.T. *See* Kemper, P.R.
Budde, W.L. *See* Bellar, T.A.
Burlingame, A.L. *See* Baldwin, M.A.

Cardosa, A.M., Ferrer-Correia, A.J., Fokkens, R.H., Nibbering, N.M.M. The Role of Distonic Ions in the Formation of $CH_3NH_3^+$ and $(CH_3)_2NH_2^+$ from the Molecular Ions of Octapine and Synephrine, 104
Cerny, R.L. *See* Grese, R.P.
Chait, B.T. *See* Chowdhury, S.K.
Chowdhury, S.K., Katta, V., Beavis, R.C., Chait, B.T. Origin and Removal of Adducts (Molecular Mass = 98 u) Attached to Peptide and Protein Ions in Electrospray Ionization Mass Spectra, 382
Christie, W.W. *See* Crockett, J.S.
Conzemius, R.J. *See* Schoer, J.K.
Cook, K.D. *See* Reynolds, J.D.; Tuinman, A.A.
Cooks, R.G., Ast, T., Kralj, B., Kramer, V., Žigon, D. Internal Energy Distributions Deposited in Doubly and Singly Charged Tungsten Hexacarbonyl Ions Generated by Charge Stripping, Electron Impact, and Charge Exchange, 16
Cooks, R.G. *See* Amy, J.W.; Emary, W.B.
Cotter, R.J. *See* Fenselau, C.
Crockett, J.S., Gross, M.L., Christie, W.W., Holman, R.T. Collisional Activation of a Series of Homoconjugated Octadecadienoic Acids with Fast Atom Bombardment and Tandem Mass Spectrometry, 183
Curtis, S.J.A., Harrison, A.G. Collisional Studies of Some $C_3H_7O^+$ Ions, 301

Dahlke, G.D. *See* Kass, S.R.
Dass, C. Fast Atom Bombardment Combined with Mass Spectrometry for Characterization of Polycyclic Aromatic Hydrocarbons, 405
Davoli, E., Gross, M.L. Charge Remote Fragmentation of Fatty Acids Cationized with Alkaline Earth Metal Ions, 320
Davoli, E. *See* Zirrolli, J.A.
Dearth, M.A., Hites, R.A. Highly Chlorinated Dimethanofluorenes in Technical Chlordane and in Human Adipose Tissue, 99
Deterding, L.J., Tomer, K.B., Spatola, A.F. Tandem Mass Spectrometry for the Structural Determination of Backbone-Modified Peptides, 174
Deterding, L.J. *See* Pleasance, S.
Dolnikowski, G.G., Heath, T.G., Watson, J.T., Scrivens, J.H., Rolando, C.H. A Study of the Gas-Phase Reaction Between Protonated Acetaldehyde and Methanol, 481
Dulak, J.G. *See* Taylor, W.S.

Edmonds, C.G. *See* Smith, R.D.
Emary, W.B., Kaiser, R.E., Kenttämaa,H.I., Cooks, R.G. Pulsed Gas Introduction into Quadrupole Ion Traps, 308
Enke, C.G. *See* Yefchak, G.E.

Falick, A.M. *See* Baldwin, M.A.
Fenselau, C., Murphy, C.M., Cotter, R.J. Oligopeptide Fragmentation Viewed as Constant Neutral Loss, 336
Ferrer-Correia, A.J. *See* Cardosa, A.M.
Field, F.H. The Early Days of Chemical Ionization: A Reminiscence, 277
Flurer, R.A., Glish, G.L., McLuckey, S.A. Structures of NO_3^- Formed via Glow Discharge in Atmospheric Gases, 217
Fokkens, R.H. *See* Cardosa, A.M.; Wincel, H.
Freeman, J.A. Johnson, J.V., Hail, M.E., Yost, R.A., Kuehl, D.W. Estimation of Mutagenic/Carcinogenic Potential of Environmental Contaminants by Ion- Molecule Reactions and Tandem Mass Spectrometry, 110
Furlong, J.J.P. *See* Williams, E.R.
Futrell, J.H. *See* Shukla, A.K.

Gaskell, S.J. *See* Thorne, G.C.
Gibson, B.W. *See* Baldwin, M.A.
Gillespie, T.A., Yost, R.A. Differences in the Low-Energy Collision-Activated Dissociation of Carboxylate Anions from Structurally Similar Prostaglandins: E_2, $F_{2\alpha}$, D_2, and $DHKF_{2\alpha}$, 389
Glish, G.L., McLuckey, S.A., Asano, K.G. Determination of Daughter Ion Formulas by Multiple Stages of Mass Spectrometry, 166
Glish, G.L. *See* Flurer, R.A.
Grese, R.P., Cerny, R.L., Gross, M.L., Senge, M. Determination of Structure and Properties of Modified Chlorophylls by

© 1990 American Society for Mass Spectrometry
1044-0305/90/$3.50

Using Fast Atom Bombardment Combined with Tandem Mass Spectrometry, 72
Grimsrud, E.P. *See* Knighton, W.B.
Gross, M. *See* Zirrolli, J.A.
Gross, M.L. *See* Crockett, J.S.; Davoli, E.; Grese, R.P.
Guo, H. *See* Kass, S.R.

Hail, M.E. *See* Freeman, J.A.
Harrison, A.G. *See* Curtis, S.J.A.
Harrison, W.W. *See* Klingler, J.A.
Heath, T.G. *See* Dolnikowski, G.G.; Kayganich, K.A.
Henion, J.D. *See* Huang, E.C.
Henry, K.D. *See* Williams, E.R.
Hill, J.A. *See* Martin, S.A.
Hites, R.A. *See* Dearth, M.A.
Hofstadler, S.A., Laude, D.A., Jr. Direct Observation of Trapping Motion in Elongated Fourier-Transform Mass Spectrometry Trapped Ion Cells, 351
Hogan, J.D., Laude, D.A., Jr. Suspended Trapping Gas Chromatography/Fourier Transform Mass Spectrometry for Analysis of Complex Organic Mixtures, 431
Holland, J.F. *See* Yefchak, G.E.
Holman, R.T. *See* Crockett, J.S.
Houk, R.S. *See* Schoer, J.K.; Smith, F.G.
Huang, E.C., Henion, J.D. LC/MS and LC/MS/MS Determination of Protein Tryptic Digests, 158
Hunt, D.F. *See* Williams, E.R.

Ijames, C.F., Wilkins, C.L. An External Secondary Ion Source for Fourier Transform Mass Spectrometry, 208

Johnson, J.V. *See* Freeman, J.A.
Johnston, M.V. *See* Van Bramer, S.E.

Kaiser, R.E. *See* Emary, W.B.
Kass, S.R., Guo, H., Dahlke, G.D. The Thiomethyl Anion: Formation, Reactivity and Thermodynamic Properties, 366
Katta, V. *See* Chowdhury, S.K.
Kayganich, K.A., Heath, T.G., Watson, J.T. Comparison of Tandem and Conventional Mass Spectrometry Using Electron Capture Negative Ionization in the Detection of Chemically Oxidized Dexamethasone in Human Plasma, 341
Kemper, P.R., Bowers, M.T. A Hybrid Double-Focusing Mass Spectrometer-High Pressure Drift Reaction Cell to Study Thermal Energy Reactions of Mass-Selected Ions, 197
Kenttämaa, H.I. *See* Emary, W.B.
Ketkar, S.N. *See* Taylor, W.S.
Kittrell, C. *See* Martin, S.A.
Klingler, J.A., Savickas, P.J., Harrison, W.W. The Pulsed Glow Discharge as an Elemental Ion Source, 138
Knighton, W.B., Zook, D.R., Grimsrud, E.P. Cluster-Assisted Decomposition Reactions of the Molecular Anions of SF_6 and C_7F_{14}, 372
Kralj, B. *See* Cooks, R.G.
Kramer, V. *See* Cooks, R.G.
Kuehl, D.W. *See* Freeman, J.A.

Lacey, M.P. *See* Strife, R.J.
Laude, D.A., Jr. *See* Hofstadler, S.A.; Hogan, J.D.
Leary, J.A., Zhou, Z., Ogden, S.A., Williams, T.D. Investigations of Gas-Phase Lithium-Peptide Adducts: Tandem Mass Spectrometry and Semiempirical Studies, 473
Light, K.J., Allison, J. Mechanistic Considerations of the Protonation and Fragmentation of Highly Functionalized Molecules in Fast Atom Bombardment: High Resolution Mass Spectrometry and Tandem Mass Spectrometry Analysis of the Ions Formed by Fast Atom Bombardment of Digoxin and Related Cardiac Glycosides, 455
Longevialle, P. *See* Mollova, N.
Loo, J.A. *See* Smith, R.D.

Macfarlane, R.D. *See* Wolf, B.
Magid, L.J. *See* Tuinman, A.A.
Martin, S.A., Hill, J.A., Kittrell, C., Biemann, K. Photon-Induced Dissociation with a Four-Sector Tandem Mass Spectrometer, 107
Martinez, R.I. Precision and Accuracy in Tandem Mass Spectrometry Measurements: A Kinetics-Based Protocol for Instrument-Independent Measurements of Collision-Activated Dissociation in RF-Only Quadrupoles, 272
McLafferty, F.W. Analytical Information from Mass Spectrometry, Past and Future, 1
McLafferty, F.W. *See* Williams, E.R.
McLuckey, S.A. *See* Flurer, R.A.; Glish, G.L.
Michiels, F., Vanhoolst, W., Van Epsen, P., Adams, F. Acquisition and Quantification of Ion Images with a Camera-Based Detection System and Classical Quantification Algorithms, 37
Mollova, N., Longevialle, P. Electron Ionization Induced Fragmentation of Macrocyclic Amines $C_nH_{2n-1}NH_2$: Evidence for the Rearrangement of Aminocarbene Radical Cations and a Comparison with Long-chain Esters, 238
Moseley, M.A. *See* Pleasance, S.
Mudgett, P.D. *See* Wolf, B.
Munson, B. *See* Allgood, C.
Murphy, C.M. *See* Fenselau, C.
Murphy, R.C. *See* Zirrolli, J.A.

Nibbering, N.M.M. *See* Cardosa, A.M., Wincel, H.
Nuwaysir, L.M., Wilkins, C.L., Simonsick, W.J., Jr. Analysis of Copolymers by Laser Desorption Fourier Transform Mass Spectrometry, 66

Ogden, S.A. *See* Leary, J.A.
Orlando, R., Ridge, D.P., Munson, B. Radiative Stabilization of Trimethylsilyl Adduct Ions, 144
Orlando, R. *See* Allgood, C.

Pleasance, S., Thibault, P., Moseley, M.A., Deterding, L.J., Tomer, K.B., Jorgenson, J.W. Continuous Flow Fast Atom Bombardment with Packed Microcolumns: a Comparison of Precolumn Versus Coaxial Matrix Delivery, 312
Prusiner, S.B. *See* Baldwin, M.A.

Qian, K. *See* Shukla, A.K.

Reynolds, J.D., Cook, K.D. Effect of Varying Counterions on the Sensitivity of Electrohydrodynamic and Fast Atom Bombardment Mass Spectrometry, 233
Reynolds, J.D., Cook, K.D. Improving Fast Atom Bombardment Mass Spectra: the Influence of Some Controllable Parameters on Spectral Quality, 149
Ridge, D.P. *See* Strobel, F.
Rolando, C.H. *See* Dolnikowski, G.G.

Savickas, P.J. *See* Klingler, J.A.
Schoer, J.K., Houk, R.S., Conzemius R.J., Schrader, G.L. Ion Association by Time-of-Flight Mass Spectrometry: a Study of V-P-O Catalysts, 129
Schrader, G.L. *See* Schoer, J.K.
Schultz, G.A. *See* Yefchak, G.E.
Scrivens, J.H. *See* Dolnikowski, G.G.

Senge, M. *See* Grese, R.P.
Shabanowitz, J. *See* Williams, E.R.
Shukla, A.K., Qian, K., Anderson, S., Futrell, J.H. Fundamentals of Tandem Mass Spectrometry: a Dynamics Study of Simple C-C Bond Cleavage in Collision-Activated Dissociation of Polyatomic Ions at Low Energy, 6
Simms, J.R. *See* Strife, R.J.
Simonsick, W.J., Jr. *See* Nuwaysir, L.M.
Smith, F.G., Houk, R.S. Alleviation of Polyatomic Ion Interferences for Determination of Chlorine Isotope Ratios by Inductively Coupled Plasma Mass Spectrometry, 284
Smith, R.D., Loo, J.A., Barinaga, C.J., Edmonds, C.G., Udseth, H.R., Collisional Activation and Collision-Activated Dissociation of Large Multiply Charged Polypeptides and Proteins Produced by Electrospray Ionization, 53
Spatola, A.F. *See* Deterding, L.J., Stahl, N. *See* Baldwin, M.A.
Strife, R.J., Simms, J.R., Lacey, M.P. Combined Capillary Gas Chromatography/Ion Trap Mass Spectrometry Quantitative Methods Using Labeled or Unlabeled Internal Standards, 265
Strobel, F., Ridge, D.P. Superelastic Collisions of Electrons with Excited MN^+, 192

Taylor, W.S., Dulak, J.G., Ketkar, S.N. Characterization of a Glow Discharge Plasma as a Function of Sampling Orifice Potential, 448
Thibault, P. *See* Pleasance, S.
Thomas, D.A., Bloor, J.E., Bartmess, J.E. The Structures of the [M - H] Anions of the CH_3NO_2 Isomers Nitromethane and Methyl Nitrate, 295
Thorne, G.C., Ballard, K.D., Gaskell, S.J. Metastable Decomposition of Peptide $[M + M]^+$ Ions via Rearrangement Involving Loss of the C-Terminal Amino Acid Residue, 249
Tomer, K.B. *See* Deterding, L.J.; Pleasance, S.
Tuinman, A.A., Cook, K.D., Magid, L.J. Charge-Remote Fragmentation in a Hybrid (BEqQ) Mass Spectrometer to Determine Isotopic Purity in Selectively Polydeuterated Surfacants, 85

Udseth, H.R. *See* Smith, R.D.

Van Bramer, S.E., Johnston, M.V. 10.5-eV Photoionization Mass Spectrometry of Aliphatic Compounds, 419
Van Epsen, P. *See* Michiels, F.
Vanhoolst, W. *See* Michiels, F.

Watson, J.T. *See* Dolnikowski, G.G.; Kayganich, K.A.
Wilkins, C.L. *See* Ijames, C.F.; Nuwaysir, L.M.
Williams, E.R., Furlong, J.J.P., McLafferty, F.W. Efficiency of Collisionally-Activated Dissociation and 193-nm Photodissociation of Peptide Ions in Fourier Transform Mass Spectrometry, 288
Williams, E.R., Henry, K.D. McLafferty, F.W., Shabanowitz, J., Hunt, D.F. Surface-Induced Dissociation of Peptide Ions in Fourier-Transform Mass Spectrometry, 413
Williams, E.R., McLafferty, F.W. High Resolution and Tandem Fourier-Transform Mass Spectrometry with Californium-252 Plasma Desorption, 427
Williams, E.R., McLafferty, F.W. 193 nm Laser Photoionization and Photodissociation for Isomer Differentiation in Fourier-Transform Mass Spectrometry, 361
Williams, T.D. *See* Leary, J.A.
Wincel, H., Fokkens, R.H., Nibbering, N.M.M. Site of Protonation of Benzonitrile Hydrogen Interchange in the Protonated Species, 225
Wolf, B., Mudgett P.D., Macfarlane, R.D. A New Method for Electrostatic Ion Deflection, 28

Yefchak, G.E., Schultz, G.A., Allison, J., Enke, C.G., Holland, J.F. Beam Deflection for Temporal Encoding in Time-of-Flight Mass Spectrometry, 440
Yost, R.A. *See* Freeman, J.A.; Gillespie, T.A.

Zhou, Z. *See* Leary, J.A.
Žigon, D. *See* Cooks, R.G.
Zirrolli, J.A., Davoli, E., Bettazzoli, L., Gross, M., Murphy, R.C. Fast Atom Bombardment and Collision-Induced Dissociation of Prostaglandins and Thromboxanes: Some Examples of Charge Remote Fragmentation, 325
Zook, D.R. *See* Knighton, W.B.

Accuracy in tandem mass spectrometry measurements: a kinetics-based protocol for instrument-independent measurements of collision-activated dissociation in RF-only quadrupoles, 272
Acetaldehyde and methanol, protonated, gas-phase reaction between, A study of, 481
Adducts (molecular mass = 98 u) attached to peptide and protein ions in electrospray ionization mass spectra, Origin and removal of, 382
Adipose tissue, human, Highly chlorinated dimethanofluorenes in, 99
Aliphatic compounds, 10.5-eV Photoionization mass spectrometry of, 419
Alkaline earth metal ions, fatty acids cationized with, Charge remote fragmentation of, 320
Amines, macrocyclic, $C_nH_{2n-1}NH_2$ fragmentation of, Electron ionization induced: Evidence for the rearrangement of aminocarbene radical cations and a comparison with long-chain esters, 238
Amino acid residue, C-terminal, loss of, rearrangement involving, Metastable decomposition of peptide $[M + H]^+$ ions via, 249
Aminocarbene radical cations, evidence for the rearrangement of: Electron ionization induced fragmentation of macrocyclic amines $C_nH_{2n-1}NH_2$, 238
Analytical information from mass spectrometry, past and future, 1
Atmospheric gases, glow discharge in, Structures in NO_3^- formed via, 217

Backbone-modified peptides, structural determination of, Tandem mass spectrometry for, 174
Beam deflection for temporal encoding in time-of-flight mass spectrometry, 440
Benzonitrile hydrogen interchange in the protonated species, protonation of, Site of, 225
Building mass spectrometers and a philosophy of research, 119

C_7F_{14}, molecular anions of, decomposition reactions of, Cluster-assisted, 372
$C_nH_{2n-1}NH_2$ macrocyclic amines, fragmentation of, Electron ionization induced: Evidence for the rearrangement of aminocarbene radical cations and a comparison with long-chain esters, 238
$(CH_3)_2NH_2^+$, formation of, from the molecular ions of octopamine and synephrine, The role of distonic ions in, 104
$CH_3NH_3^+$, formation of, from the molecular ions of octopamine and synephrine, The role of distonic ions in, 104
CH_3NO_2 isomers, nitromethane and methyl nitrate, [M - H] anions of, structure of, The, 295
$C_3H_7O^+$ ions, Collisional studies of, 301
C-C bond cleavage, in collision-activated dissociation of polyatomic ions at low energy, Fundamentals of tandem mass spectrometry, 6
C-terminal amino acid residue, loss of, rearrangement involving, Metastable decomposition of peptide $[M + H]^+$ ions via, 249
Cations, aminocarbene radical, rearrangement of, evidence for: Electron ionization induced fragmentation of macrocyclic amines $C_nH_{2n-1}NH_2$, 238
Californium-252 plasma desorption, High resolution and tandem Fourier-transform mass spectrometry with, 427
Camera-based detection system, Acquisition and quantification of ion images with, 37
Capillary gas chromatography/ion trap mass spectrometry quantitative methods, Combined, using labeled or unlabeled internal standards, 265
Carboxylate anions, low-energy collision-activated dissociation from structurally similar Prostaglandins: E_2, $F_{2\alpha}$, D_2, and $DHKF_{2\alpha}$, Differences in, 389
Carcinogenic potential, of environmental contaminants, Estimation of, by ion-molecule reactions and tandem mass spectrometry, 110
Cardiac glycosides, fast atom bombardment of, ions formed by, high resolution mass spectrometry and tandem mass spectrometry analysis of: Mechanistic considerations of the protonation and fragmentation of highly functionalized molecules in fast atom bombardment, 455
Carrier process, enhanced ion abundances from, Investigation of, in high-performance liquid chromatography particle beam mass spectrometry, 92
Catalysts, V-P-O, a study of: Ion association by time-of-flight mass spectrometry, 129
Charge exchange, doubly and singly charged tungsten hexacarbonyl ions generated by, Internal energy distributions deposited in, 16
Charge remote fragmentation, some examples of: Fast atom bombardment and collision-induced dissociation of prostaglandins and thromboxanes, 325
Charge-remote fragmentation in a hybrid (BEqQ) mass spectrometer to determine isotopic purity in selectively polydeuterated surfactants, 85
Charge remote fragmentation of fatty acids cationized with alkaline earth metal ions, 320
Charge stripping, doubly and singly charged tungsten hexacarbonyl ions generated by, Internal energy distributions deposited in, 16
Chemical ionization, The early days of: a reminiscence, 277
Chemically oxidized dexamethasone in human plasma, detection of, electron capture negative ionization in, Comparison of tandem and conventional mass spectrometry using, 341
Chlordane, technical, Highly chlorinated dimethanofluorenes in, 99
Chlorinated dimethanofluorenes, Highly, in technical chlordane and in human adipose tissue, 99
Chlorine isotope ratios, determination, by inductively coupled plasma mass spectrometry, Alleviation of polyatomic ion interferences for, 284
Chlorophylls, modified, structure and properties of, Determination of, by using fast atom bombardment combined with tandem mass spectrometry, 72

© 1990 American Society for Mass Spectrometry
1044-0305/90/$3.50

Chromatography, capillary gas/ion trap mass spectrometry quantitative methods, Combined, using labeled or unlabeled internal standards, 265
Chromatography, gas, electron ionization mass spectrometry, relative sensitivities in, Correlations, with molecular parameters, 397
Chromatography, gas, Suspended trapping/Fourier transform mass spectrometry for analysis of complex organic mixtures, 431
Chromatography, liquid, high performance, particle beam mass spectrometry, Investigation of enhanced ion abundances from a carrier process in, 92
Classical quantification algorithms, Acquisition and quantification of ion images with, 37
Cluster-assisted decompositon reactions of the molecular anions of SF_6 and C_7F_{14}, 372
Coaxial matrix delivery, precolumn versus, a comparison of, Continuous flow fast atom bombardment with packed microcolumns, 312
Collision-activated dissociation in RF-only quadrupoles, instrument-independent measurements of, a kinetics-based protocol for: Precision and accuracy in tandem mass spectrometry measurements, 272
Collision-activated dissociation of large multiply charged polypeptides and proteins produced by electrospray ionization, 53
Collision-activated dissociation of polyatomic ions at low energy, simple C-C bond cleavage in, a dynamic study of, Fundamentals of tandem mass spectrometry, 6
Collision-induced dissociation of prostaglandins and thromboxanes: some examples of charge remote fragmentation, 325
Collisional activation and collision-activated dissociation of large multiply charged polypeptides and proteins produced by electrospray ionization, 53
Collisional activation of a series of homoconjugated octadecadienoic acids with fast atom bombardment and tandem mass spectrometry, 183
Collisional studies of some $C_3H_7O^+$ ions, 301
Collisionally-activated dissociation of peptide ions in Fourier transform mass spectrometry, Efficiency of, 288
Combined capillary gas chromatography/ion trap mass spectrometry quantitative methods using labeled or unlabeled internal standards, 265
Comparison of tandem and conventional mass spectrometry using electron capture negative ionization in the detection of chemically oxidized dexamethasone in human plasma, 341
Complex organic mixtures, analysis of, Suspended trapping gas chromatography/Fourier transform mass spectrometry for, 431
Constant neutral loss, Oligopeptide fragmentation viewed as, 336
Continuous flow fast atom bombardment with packed microcolumns: a comparison of precolumn versus coaxial matrix delivery, 312
Conventional mass spectrometry and tandem mass spectrometry, Comparison of, using electron capture negative ionization in the detection of chemically oxidized dexamethasone in human plasma, 341
Copolymers, Analysis of, by laser desorption Fourier transform mass spectrometry, 66
Correlations of relative sensitivities in gas chromatography electron ionization mass spectrometry with molecular parameters, 397
Counterions, varying, Effect of, on the sensitivity of electrohydrodynamic and fast atom bombardment mass spectrometry, 233
Daughter ion formulas, Determination of, by multiple stages of mass spectrometry, 166
Decomposition reactions, Cluster-assisted, of the molecular anions of SF_6 and C_7F_{14}, 372
Dexamethasone, chemically oxidized, in human plasma, detection of, electron capture negative ionization in, Comparison of tandem and conventional mass spectrometry using, 341
Digoxin, fast atom bombardment of, ions formed by, high resolution mass spectrometry and tandem mass spectrometry analysis of: Mechanistic considerations of the protonation and fragmentation of highly functionalized molecules in fast atom bombardment, 455
Dimethanofluorenes, Highly chlorinated, in technical chlordane and in human adipose tissue, 99
Direct observation of trapping motion in elongated Fourier-transform mass spectrometry trapped ion cells, 351
Dissociation, collision-activated, in RF-only quadrupoles, instrument-independent measurements of, a kinetics-based protocol for: Precision and accuracy in tandem mass spectrometry measurements, 272
Dissociation, collision-induced, of prostaglandins and thromboxanes: some examples of charge remote fragmentation, 325
Dissociation, collisionally activated, of peptide ions, Efficiency of, in Fourier transform mass spectrometry, 288
Dissociation, Photon-induced, with a four-sector tandem mass spectrometer, 107
Distonic ions, The role of, in the formation of $CH_3NH_3^+$ and $(CH_3)_2NH_2^+$ from the molecular ions of octopamine and synephrine, 104
Double-focusing mass spectrometer, hybrid, high pressure drift reaction cell to study thermal energy reactions of mass-selected ions, A, 197
Drift reaction cell, high pressure, to study thermal energy reactions of mass-selected ions, A hybrid double-focusing mass spectrometer, 197

Early days of chemical ionization, The: a reminiscence, 277
Earth metal ions, alkaline, fatty acids cationized with, Charge remote fragmentation of, 320
Efficiency of collisionally-activated dissociation and 193-nm photodissociation of peptide ions in Fourier transform mass spectrometry, 288
Electrohydrodynamic mass spectrometry, sensitivity of, Effect of varying counterions on, 233
Electron capture negative ionization in the detection of chemically oxidized dexamethasone in human plasma, Comparison of tandem and conventional mass spectrometry using, 341
Electron impact, doubly and singly charged tungsten hexacarbonyl ions generated by, Internal energy distributions deposited in, 16
Electron ionization induced fragmentation of macrocyclic amines $C_nH_{2n-1}NH_2$: Evidence for the rearrangement of aminocarbene radical cations and a comparison with long-chain esters, 238
Electron ionization mass spectrometry, gas chromatography, relative sensitivities in, Correlations of, molecular parameters, 397
Electrons, Superelastic collisions of, with excited MN^+, 182
Electrospray ionization, large multiply charged polypeptides and proteins produced by, Collisional activation and collision-activated dissociation of, 53
Electrospray ionization mass spectra, peptide and protein ions in, adducts (molecular mass = 98 u) attached to, Origin and removal of, 382

Electrostatic ion deflection, new method for, A, 28
Elemental ion source, The pulsed glow discharge as, 138
Energy, Internal, distributions deposited in doubly and singly charged tungsten hexacarbonyl ions generated by charge stripping, electron impact, and charge exchange, 16
Environmental contaminants, mutagenic/carcinogenic potential of, Estimation of, by ion-molecule reactions and tandem mass spectrometry, 110
Errata, 349, 497
Esters, long-chain, comparison with, Electron ionization induced fragmentation of macrocyclic amines $C_nH_{2n-1}NH_2$: Evidence for the rearrangement of aminocarbene radical cations, 238
Excited MN^+, Superelastic collisions of electrons with, 192
External secondary ion source for Fourier transform mass spectrometry, An, 208

Fast atom bombardment, Collisional activation of a series of homoconjugated octadecadienoic acids with, 183
Fast atom bombardment, combined with tandem mass spectrometry, Determination of structure and properties of modified chlorophylls using, 72
Fast atom bombardment, Continuous flow, with packed microcolumns: a comparison of precolumn versus coaxial matrix delivery, 312
Fast atom bombardment, highly functionalized molecules in, protonation and fragmentation of, Mechanistic considerations of: high resolution mass spectrometry and tandem mass spectrometry analysis of the ions formed by fast atom bombardment of digoxin and related cardiac glycosides, 455
Fast atom bombardment, of digoxin and related cardiac glycosides, ions formed by, high resolution mass spectrometry and tandem mass spectrometry analysis of: Mechanistic considerations of the protonation and fragmentation of highly functionalized molecules in fast atom bombardment, 455
Fast atom bombardment and collision-induced dissociation of prostaglandins and thromboxanes: some examples of charge remote fragmentation, 325
Fast atom bombardment combined with mass spectrometry for characterization of polycyclic aromatic hydrocarbons, 405
Fast atom bombardment mass spectra, Improving: the influence of some controllable parameters on spectral quality, 149
Fast atom bombardment mass spectrometry, sensitivity of, Effect of varying counterions on, 233
Fatty acids cationized with alkaline earth metal ions, Charge remote fragmentation of, 320
Forthcoming events, 350
Four-sector tandem mass spectrometer, Photon-induced dissociation with, 107
Fourier transform mass spectrometry, An external secondary ion source for, 208
Fourier transform mass spectrometry, collisionally-activated dissociation and 193-nm photodissociation of peptide ions in, Efficiency of, 288
Fourier-transform mass spectrometry, isomer differentiation in, 193 nm Laser photoionization and photodissociation for, 361
Fourier transform mass spectrometry, laser desorption, Analysis of copolymers by, 66
Fourier transform mass spectrometry, Surface-induced dissociation of peptide ions in, 413
Fourier-transform mass spectrometry, tandem, with Californium-252 plasma desorption, 427
Fourier transform mass spectrometry for analysis of complex organic mixtures, 431
Fourier-transform mass spectrometry trapped ion cells, elongated, trapping motion in, Direct observation of, 351
Fragmentation, Charge-remote, in a hybrid (BEqQ) mass spectrometer to determine isotopic purity in selectively polydeuterated surfacants, 85
Fragmentation, Charge remote, of fatty acids cationized with alkaline earth metal ions, 320
Fragmentation, charge remote, some examples of: Fast atom bombardment and collision-induced dissociation of prostaglandins and thromboxanes, 325
Fragmentation, of highly functionalized molecules in fast atom bombardment, Mechanistic considerations of: high resolution mass spectrometry and tandem mass spectrometry analysis of the ions formed by fast atom bombardment of digoxin and related cardiac glycosides, 455
Fragmentation, of macrocyclic amines $C_nH_{2n-1}NH_2$ Electron ionization induced: Evidence for the rearrangement of aminocarbene radical cations and a comparison with long-chain esters, 238
Fragmentation, Oligopeptide, viewed as constant neutral loss, 336

Gas, Pulsed, introduction into quadrupole ion traps, 308
Gas chromatography, capillary/ion trap mass spectrometry quantitative methods, Combined, using labeled or unlabeled internal standards, 265
Gas chromatography, suspended trapping/Fourier transform mass spectrometry for analysis of complex organic mixtures, 431
Gas chromatography ionization mass spectrometry, relative sensitivities in, Correlations of, with molecular parameters, 397
Gas-phase lithium-peptide adducts, Investigations of: tandem mass spectrometry and semiempirical studies, 473
Gas-phase reaction between protonated acetaldehyde and methanol, A study of, 481
Glow discharge, pulsed, as an elemental ion source, The, 138
Glow discharge in atmospheric gases, Structures of NO_3^+ formed via, 217
Glow discharge plasma, Characterization of, as a function of sampling orifice potential, 448
Glutamine, N-terminal, studies on a prion protein peptide, tandem mass spectrometry of peptides with, 258
Glycosides, cardiac, fast atom bombardment of, ions formed by, high resolution mass spectrometry and tandem mass spectrometry analysis of; Mechanistic considerations of the protonation and fragmentation of highly functionalized molecules in fast atom bombardment, 455

High-performance liquid chromatography particle beam mass spectrometry, Investigation of enhanced ion abundances from a carrier process in, 92
High pressure drift reaction cell to study thermal energy reactions of mass-selected ions, A hybrid double-focusing mass spectrometer, 197
High resolution and tandem Fourier-transform mass spectrometry with Californium-252 plasma desorption, 427
High resolution mass spectrometry and tandem mass spectrometry analysis of the ions formed by fast atorn bombardment of digoxin and related glycosides: Mechanistic considerations of the protonation and fragmentation of highly functionalized molecules in fast atom bombardment, 455
Highly functionalized molecules in fast atom bombardment, protonation and fragmentation of, Mechanistic considera-

tions of: high resolution mass spectrometry and tandem mass spectrometry analysis of the ions formed by fast atom bombardment of digoxin and related cardiac glycosides, 455
Homoconjugated octadecadienoic acids, Collisional activation of a series of, with fast atom bombardment and tandem mass spectrometry, 183
Human adipose tissue, Highly chlorinated dimethanofluorenes in, 99
Human plasma, chemically oxidized dexamethasone in, detection of, electron capture negative ionization in, Comparison of tandem and conventional mass spectrometry using, 341
Hybrid double-focusing mass spectrometer, high pressure drift reaction cell to study thermal energy reactions to mass-selected ions, A, 197
Hybrid (BEqQ) mass spectrometer, Charge-remote fragmentation in, to determine isotopic purity in selectively polydeuterated surfactants, 85
Hydrocarbons, polycyclic aromatic, characterization of, Fast atom bombardment combined with mass spectrometry for, 405

Inductively coupled plasma mass spectrometry, determination of chlorine isotope ratios by, Alleviation of polyatomic ion interferences for, 284
Internal energy distributions deposited in doubly and singly charged tungsten hexacarbonyl ions generated by charge stripping, electron impact, and charge exchange, 16
Internal standards, labeled or unlabeled, Combined capillary gas chromatography/ion trap mass spectrometry quantitative methods using, 265
Ion abundances, enhanced, from a carrier process, Investigation of, in high-performance liquid chromatography particle beam mass spectrometry, 82
Ion association by time-of-flight mass spectrometry: a study of V-P-O catalysts, 129
Ion cells, elongated, Fourier transform mass spectrometry trapped, trapping motion in, Direct observation of, 351
Ion images, Acquisition and quantification of, with a camera-based detections system and classical quantification algorithms, 37
Ion-molecule reactions, Estimation of mutagenic/carcinogenic potential of environmental contaminants by, 110
Ion source, elemental, The pulsed glow discharge as, 138
Ion trap mass spectrometry quantitative methods/capillary gas chromatography, Combined, using labeled or unlabeled internal standards, 265
Ion traps, quadrupole, Pulsed gas introduction into, 308
Ionization, Chemical, The early days of: a reminiscence, 277
Ionization, Electron, induced fragmentation of macrocyclic amines $C_nH_{2n-1}NH_2$: Evidence for the rearrangement of aminocarbene radical cations and a comparison with long-chain esters, 238
Ionization, electrospray, large multiply charged polypeptides and proteins produced by, Collisional activation and collision-activated dissociation of, 53
Ionization, negative, electron capture, in the detection of chemically oxidized dexamethasone in human plasma, Comparison of tandem and conventional mass spectrometry using, 341
Isomer differentiation in Fourier-transform mass spectrometry, 193 nm Laser photoionization and photodissociation for, 361
Isotopic purity, in selectively polydeuterated surfacants, Charge-remote fragmentation in a hybrid (BEqQ) spectrometer to determine, 85

Kinetics-based protocol for instrument-independent measurements of collision-activated dissociation in RF-only quadrupoles: Precision and accuracy in tandem mass spectrometry measurements, 272

Laser desorption Fourier transform mass spectrometry, Analysis of copolymers by, 66
Laser photoionization and dissociation, 193 nm, for isomer differentiation in Fourier-transform mass spectrometry, 361
LC/MS and LC/MS/MS determination of protein tryptic digests, 158
LC/MS/MS determination of protein tryptic digests, 158
Liquid chromatography particle beam mass spectrometry, high-performance, Investigation of enhanced ion abundances from a carrier process in, 92
Lithium-peptide adducts, gas-phase, Investigation of: tandem mass spectrometry and semiempirical studies, 473
Long-chain esters, comparison with, Electron ionization induced fragmentation of macrocyclic amines $C_nH_{2n-1}NH_2$: Evidence for the rearrangement of aminocarbene radical cations, 238

[M - H] anions of the CH_3NO_2 isomers nitromethane and methyl nitrate, structures of, The, 295
$[M + H]^+$ peptide ions, Metastable decomposition of, via rearrangement involving loss of the C-terminal amino acid residue, 249
Mass-selected ions, thermal energy reactions of, high pressure drift reaction cell to study, A hybrid double-focusing mass spectrometer, 197
Mechanistic considerations of the protonation and fragmentation of highly functionalized molecules in fast atom bombardment: High resolution mass spectrometry and tandem mass spectrometry analysis of the ions formed by fast atom bombardment of digoxin and related cardiac glycosides, 455
Metal ions, earth, alkaline, fatty acids cationized with, Charge remote fragmentation of, 320
Metastable decomposition of peptide $[M + H]^+$ ions via rearrangement involving loss of the C-terminal amino acid residue, 249
Methanol and acetaldehyde, protonated, gas-phase reaction between, A study of, 481
Methyl nitrate, [M - H] anions of, structures of, The, 295
Microcolumns, packed, Continuous flow fast atom bombardment with, a comparison of precolumn versus coaxial matrix delivery, 312
MN^+, excited, Superelastic collisions of electrons with, 192
Molecular anions of SF_6 and C_7F_{14}, decomposition reactions of, Cluster-assisted, 371
Molecular parameters, Correlations of relative sensitivities in gas chromatography electron ionization mass spectrometry with, 397
Molecules, highly functionalized, in fast atom bombardment, protonation and fragmentation of, Mechanistic considerations of: high resolution mass spectrometry and tandem mass spectrometry analysis of the ions formed by fast atom bombardment of digoxin and related cardiac glycosides, 455
Multiple stages of mass spectrometry, Determination of daughter ion formulas by, 166
Mutagenic/carcinogenic potential of environmental contaminants, Estimation of, by ion-molecule reactions and tandem mass spectrometry, 110

N-terminal glutamine studies on a prion protein peptide,

Tandem mass spectrometry of peptides with, 258
Negative ionization, electron capture, in the detection of chemically oxidized dexamethasone in human plasma, Comparison of tandem and conventional mass spectrometry using, 341
Neutral loss, constant, Oligopeptide fragmentation viewed as, 336
Nitromethane, [M - H] anions of, structures of, The, 295
NO_3^+, formed via glow discharge in atmospheric gases, Structures of, 217

Octadecadienoic acids, homoconjugated, series of, Collisional activation of, with fast atom bombardment and tandem mass spectrometry, 183
Octopamine, molecular ions of, $CH_3NH_3^+$ and $(CH_3)_2NH_2^+$ formation from, The role of distonic ions in, 104
Oligopeptide fragmentation viewed as constant neutral loss, 336
193 nm Laser photoionization and photodissociation for isomer differentiation in Fourier-transform mass spectrometry, 361
193-nm photodissociation of peptide ions in Fourier transform mass spectrometry, Efficiency of, 288
Organic mixtures, complex, analysis of, Suspended trapping gas chromatography/Fourier transform mass spectrometry for, 431
Orifice potential, sampling, Characterization of a glow discharge plasma as a function of, 448

Packed microcolumns, Continuous flow fast atom bombardment with: a comparison of precolumn versus coaxial matrix delivery, 312
Particle beam mass spectrometry, liquid chromatography, high-performance, Investigation of enhanced ion abundances from a carrier process in, 92
Peptide, prion protein, tandem mass spectrometry of peptides with N-terminal glutamine studies on, 258
Peptide ions, collisionally-activated dissociation and 193-nm photodissocation of, in Fourier transform mass spectrometry, Efficiency of, 288
Peptide ions, dissociation of, Surface-induced, in Fourier transform mass spectrometry, 413
Peptide ions in electrospray ionization mass spectra, adducts (molecular mass = 98 u) attached to, Origin and removal of, 382
Peptide $[M + H]^+$ ions, Metastable decomposition of, via rearrangement involving loss of the C-terminal amino acid residue, 249
Peptide-lithium adducts, gas-phase, Investigations of, tandem mass spectrometry and semiempirical studies, 473
Peptides, backbone-modified, structural determination of, Tandem mass spectrometry for, 174
Peptides, Tandem mass spectrometry of, with N-terminal glutamine studies on a prion protein peptide, 258
Photodissociation, 193 nm, Laser, for isomer differentiation in Fourier-transform mass spectrometry, 361
Photodissociation, 193-nm, of peptide ions, in Fourier transform mass spectrometry, Efficiency of, 288
Photoionization, 193 nm, Laser, for isomer differentiation in Fourier-transform mass spectrometry, 361
Photoionization mass spectrometry, 10.5 eV, of aliphatic compounds, 419
Photon-induced dissociation with a four-sector tandem mass spectrometer, 107
Plasma, desorption, Californium-252, High resolution and tandem Fourier-transform mass spectrometry with, 427
Plasma, glow discharge, Characterization of, as a function of sampling orifice potential, 448
Plasma, human, chemically oxidized dexamethasone in, detection of, electron capture negative ionization in, Comparison of tandem and conventional mass spectrometry using, 341
Plasma mass spectrometry, inductively coupled, determination of chlorine isotope ratios by, Alleviation of polyatomic ion interferences for, 284
Polyatomic ion interferences, Alleviation of, for determination of chlorine isotope by inductively coupled plasma mass spectrometry, 284
Polyatomic ions, collision-activated dissociation of, at low energy, a dynamics study of simple C-C cleavage in, Fundamentals of tandem mass spectrometry, 6
Polycyclic aromatic hydrocarbons, characterization of, Fast atom bombardment combined with mass spectrometry for, 405
Polydeuterated surfactants, selectively, isotopic purity in, Charge-remote fragmentation in a hybrid (BEqQ) mass spectrometer to determine, 85
Polypeptides, large, multiply charged, produced by electrospray ionization, Collision activation and collision-activated dissociation of, 53
Precolumn delivery, versus coaxial matrix, a comparison of, Continuous flow fast atom bombardment with packed microcolumns, 312
Prion protein peptide, tandem mass spectrometry of peptides with N-terminal glutamine studies on, 258
Precision and accuracy in tandem mass spectrometry measurements: a kinetics-based protocol for instrument-independent measurements of collision-activated dissociation in RF-only quadrupoles, 272
Prostaglandins, Fast atom bombardment and collision-induced dissociation of: some examples of charge remote fragmentation, 325
Prostaglandins, structurally similar: E_2, $F_{2\alpha}$, D_2, and $DHKF_{2\alpha}$, low-energy collision-activated dissociation of carboxylate anions from, Differences in, 389
Protein ions in electrospray ionization mass spectra, adducts (molecular mass = 98 u) attached to, Origin and removal of, 382
Protein peptide, prion, tandem mass spectrometry of peptides with N-terminal glutamine studies on, 258
Protein tryptic digests, LC/MS and LC/MS/MS determination of, 158
Proteins, large, multiply charged, produced by electrospray ionization, Collisional activation and collision-activated dissociation of, 53
Protonated acetaldehyde and methanol, gas-phase reaction between, A study of, 481
Protonated species, protonation of benzonitrile hydrogen interchange in, Site of, 225
Protonation and fragmentation of highly functionalized molecules in fast atom bombardment, Mechanistic consideration of: high resolution mass spectrometry and tandem mass spectrometry analysis of the ions formed by fast atom bombardment of digoxin and related cardiac glycosides, 455
Protonation of benzonitrile hydrogen interchange in the protonated species, Site of, 225
Pulsed gas introduction into quadrupole ion traps, 308
Pulsed glow discharge as an elemental ion source, The, 138

Quadrupole ion traps, Pulsed gas introduction into, 308
Quadrupoles, RF-only, collision-activated dissociation in, instrument-independent measurements of, a kinetics-based protocol for: Precision and accuracy in tandem

mass spectrometry measurements, 272
Quantification algorithms, classical, Acquisition and quantification of ion images with, 37

Radiative stabilization of trimethylsilyl adduct ions, 144
Rearrangement involving loss of the C-terminal amino acid residue, Metastable decomposition of peptide $[M + M]^+$ ions via, 249
Research, philosophy of, Building mass spectrometers and, 119
RF-only quadrupoles, collision-activated dissociation in, instrument-independent measurements of, a kinetics-based protocol for: Precision and accuracy in tandem mass spectrometry measurements, 272

Sampling orifice potential, Characterization of a glow discharge plasma as a function of, 448
Secondary ion source, external, for Fourier transform mass spectrometry, An, 208
Semiempirical studies: Investigations of gas-phase lithium-peptide adducts, 473
SF_6, molecular anions of, decomposition reactions of, Cluster-assisted, 372
Site of protonation of benzonitrile hydrogen interchange in the protonated species, 225
Spectral quality, the influence of controllable parameters on: Improving fast atom bombardment mass spectra, 149
Stages of mass spectrometry, multiple, Determination of daughter ion formulas by, 166
Superelastic collisions of electrons with excited MN^+, 192
Surface-induced dissociation of peptide ions in Fourier-transform mass spectrometry, 413
Surfactants, selectively polydeuterated, isotopic purity in, Charge-remote fragmentation in a hybrid (BEqQ) mass spectrometer to determine, 85
Suspended trapping gas chromatography/Fourier transform mass spectrometry for analysis of complex organic mixtures, 431
Synephrine, molecular ions of, $CH_3NH_3^+$ and $(CH_3)_2NH_2^+$ formation from, The role of distonic ions in, 104

Tandem Fourier-transform mass spectrometry with Californium-252 plasma desorption, 427
Tandem mass spectrometer, four-sector, Photon-induced dissociation with, 107
Tandem mass spectrometry, Collisional activation of a series of homoconjugated octadecadienoic acids with, 183
Tandem mass spectrometry, Estimation of mutagenic/carcinogenic potential of environmental contaminants by, 110
Tandem mass spectrometry, fast atom bombardment combined with, Determination of structure and properties of modified chlorophylls using, 72
Tandem mass spectrometry. Fundamentals of: a dynamics study of simple C-C bond cleavage in collision-activated dissociation of polyatomic ions at low energy, 6
Tandem mass spectrometry: Investigations of gas-phase lithium-peptide adducts, 473
Tandem mass spectrometry analysis of the ions formed by fast atom bombardment of digoxin and related cardiac glycosides: Mechanistic considerations of the protonation and fragmentation of highly functionalized molecules in fast atom bombardment, 455
Tandem mass spectrometry and conventional mass spectrometry, Comparison of, using electron capture negative ionization of chemically oxidized dexamethasone in human plasma, 341
Tandem mass spectrometry for the structural determination of backbone-modified peptides, 174
Tandem mass spectrometry measurements, Precision and accuracy in: a kinetics-based protocol for instrument-independent measurements of collision-activated dissociation in RF-only quadrupoles, 274
Tandem mass spectrometry of peptides with N-terminal glutamine studies on a prion protein peptide, 258
Technical chlordane, Highly chlorinated dimethanofluorenes in, 99
Temporal encoding in time-of-flight mass spectrometry, Beam deflection for, 440
10.5-eV Photoionization mass spectrometry of aliphatic compounds, 419
Thermal energy reactions of mass-selected ions, high pressure drift reaction cell to study, A hybrid double-focusing mass spectrometer, 197
Thermodynamic properties, thiomethyl anion, The, 366
Thiomethyl anion, The: formation, reactivity, and thermodynamic properties, 366
Thromboxanes, Fast atom bombardment and collision-induced dissociation of: some examples of charge remote fragmentation, 325
Time-of-flight mass spectrometry, Ion association by: a study of V-P-O catalysts, 129
Time-of-flight mass spectrometry, temporal encoding in, Beam deflection for, 440
Trapping motion in elongated Fourier-transform mass spectrometry trapped ion cells, Direct observation of, 351
Trimethylsilyl adduct ions, Radiative stabilization of, 144
Tryptic digests, protein, LC/MS and LC/MS/MS determination of, 158
Tungsten hexacarbonyl ions, doubly and singly charged, generated by charge stripping, electron impact, and charge exchange, Internal energy distributions deposited in, 16

Varying counterions, Effect of, on the sensitivity of electrohydrodynamic and fast atom bombardment mass spectrometry, 233
V-P-O catalysts, a study of: Ion association by time-of-flight mass spectrometry, 129